

MEC TITAN

ABLANDADORA

**M^{EC}
A^N**
Vacuum Dryer & Service







Las ablandadoras MecTitan pueden ser provistas con dos tipos diferentes de placas de pinos. Los más comunes en aluminio, son más resistentes mecánicamente. La alternativa en FRP (Polímeros reforzados con fibras) procesan los cueros de una manera más suave, haciendo este material más adecuado para artículos delicados. Mec Man también realiza ablandadoras con configuración mixta FRP-aluminio.




The MecTitan staking machines can be provided with two different kinds of pin-plates. The most common ones, in alluminium, are more mechanically resistant. The alternative in FRP (Fiber Reinforced Polymers) process the leathers in a more gentle way, making this material more feasible for delicate articles. Mec Man also realizes staking machines with mixed FRP – Alluminium configurations.

MEC TITAN



ABLANDADORA ESTANDAR
STANDARD STAKING MACHINE



MEC TITAN evo **MEC TITAN**
ABLANDADORA
22,5% ESTIRAMIENTO
ADICIONAL
22,5% EXTRA STRETCHING

Racionalizando el sistema hidráulico de la ablandadora, ha sido instalada una bomba hidráulica neumática de nueva generación. esto permite de eliminar la bomba de engranajes tradicional con su consumo eléctrico y reducir el aceite necesario a solo 5 litros.

Rationalising the staking machine hydraulic system, a new generation pneumatic hydraulic pump has been installed. This permitted to: substitute the traditional gears pump, eliminate electric consumption and reduction of necessary oil to just 5 liters.



TECHNICAL DATA/TABELA TÉCNICA						
Modelo Model		1800	2000	2400	3200	3400
Largo Lenght L1	mm	2420	2620	3020	3820	4020
Ancho Widt L2	mm	1885	2085	2485	3285	3485
Profundidad Depth P	mm	2970	2970	2970	2970	2970
Alto Height H	mm	1610	1610	1610	1610	1610
Peso Weight	Kg	13000	15000	17000	22000	24000
Potencia Instalada Installed power	Kw	15	15	25	25	25
Velocidad Speed	mt/min.	0-20	0-20	0-20	0-20	0-20
Presión Aire Min. Min. Air pressure	bar	4	4	4	4	4

MEC TITAN evo

MEC TITAN

MEC MAN S.R.L.

VIA MARTIRI DELLA LIBERTÀ, 17 - 36030 LUGO DI VICENZA (VI) ITALIA
C.F./P.I. 03419350248 - TEL. +39 0445 587607 - info@mecman.net

www.mecman.net

